CPOECAMD36

2-Megapixel Day/Night PoE Dome Network Camera, 3.6mm

The Conceptronic 2-Megapixel Day/Night PoE Dome Network Camera 3.6mm is a high-quality, precision surveillance device. The camera is capable of operating in temperatures from 0°C to 45°C, making it an ideal choice for low-profile indoor home surveillance networks in a wide variety of locations. Built-in infrared (IR) supports night monitoring for distances up to 5 metres, providing crystal-clear images at any time, under any light conditions. In addition, an IR correction feature avoids shifts of focus in both visible and infrared ranges, ensuring clear vision twenty-four hours a day. The quality cameras also offer high resolution recording and playback. The 2-Megapixel Day/Night PoE Dome Network Camera 3.6mm is a great accessory for use with the Conceptronic 8-Channel IP Surveillance Kit, providing everything you need for safe, secure surveillance of your home or business in a low-profile, attractive package.

Highlights

> 2-Megapixel (1600 x 1200) high-definition cameras, 24V with Power-over-Ethernet (PoE)
> Built-in infrared LEDs for night viewing of up to 5m
> Simple Plug and Play installation
> Wide operating temperature (0°C to 45°C)

Specifications

System Specifications

Image sensor

1/3.2" Aptina 2MP CMOS Sensor

Lens

3.6mm

Number of IR LEDs

1

Connections / interfaces

LAN ports

1 x 10/100Mbps

Features

Web Based Administrative Configuration

Yes

Supported protocols

DDNS
PPPoE
UPnP
SMTP

Power supply

External

Video input

N/A

Video output

N/A

Audio input

N/A

Audio output

N/A

Micro SD card capacity

N/A

Performance

Frames per second

15fps / channel

Resolution

Main Stream: 1600x1200, Sub Stream: 640x400

Supported video formats

H.264

Operating power

5VDC/1A

Recording resolution

N/A

Recording frame rate

N/A

Recording mode

N/A

Hard disk support

N/A

Night viewing distance

5m

Battery capacity

N/A

Aperture

F1.8

IR-cut

Mechanical IR Cut Filiter

View Angle

H: 70°
V: 52.5°

Shutter speed

min. 1/15

Minimum illumination (only video)

0 Lux (IR On)

Environment

Humidity

0% ~ 90%

Operating Temperature

0°C ~ 45°C

Physical Specifications

Length (in mm)

55

Width (in mm)

110

Height (in mm)

110

Product Weight (in grams)

190

Others

Operating system

Windows XP
Windows Vista
Windows 7
Windows 8

Order Information

Order Code:	CPOECAMD36
P/N code:	
EAN Code:	
In a Box:	20

Package content

> CPOECAMD36
> Power adapter

CPOECAMD36